

Victaulic® Lubricant SDS

(Safety Data Sheet)



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Trade name : Victaulic Lubricant

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec. : Industrial. For professional use only.

Use of the substance/mixture : A Pipe Joint Lubricant. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Victaulic Europe BVBA
Prikkelstraat 36
B-9810 Nazareth, Belgium
Telephone Number: +0032 9381 1500
Email: viceuro@victaulic.com
web: www.victaulic.com

Manufacturer

JTM Products, Inc.
31025 Carter Street
Solon, OH 44139
Telephone Number: 001-1-440-287-2302

1.4. Emergency telephone number

For Chemical Emergency: spill, leak, fire, exposure, or accident CHEMTREC® 24-hour service:

Europe/International: 00-1-703-741-5970 (collect calls accepted)
US/Canada: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the Substance or Mixture

2.1.1. Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as H319, a Category 2 eye irritant

2.1.2. Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is classified as Xi R36, a Category 2 eye irritant

2.1.3. Adverse physicochemical, human health and environmental effects

No additional information available

2.1.4. Additional information

For a full text of R-phrases and H-statements: see Section 16

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:

Signal Word: **Warning**



2.3. Other Hazards

Not applicable



SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable

3.2. Mixture

Name	Product Identifier	%	Classification according to Directive 67/548/EEC
Fatty acids, vegetable-oil, potassium salts	(CAS No) 61788-65-6 (EC No) 262-993-9	60–70	Xi; R36
1,2-Propylene glycol	P(CAS No) 57-55-6 (EC No) 200-338-0	10–20	Not classified
Mica substance with national workplace exposure limit(s) (AT, BE, BG, CZ, ES, GB, IE, IT, PT, SK)	(CAS No) 12001-26-2	5–10	Not classified
Name	Product Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Fatty acids, vegetable-oil, potassium salts	(CAS No) 61788-65-6 (EC No) 262-993-9	60–70	H319
1,2-Propylene glycol	(CAS No) 57-55-6 (EC No) 200-338-0	10–20	Not classified
Mica substance with national workplace exposure limit(s) (AT, BE, BG, CZ, ES, GB, IE, IT, PT, SK)	(CAS No) 12001-26-2	5–10	Not classified

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: Description of first aid measures**4.1. Description of first aid measures**

General	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
After inhalation	: Not expected to present a significant inhalation hazard.
After skin contact	: Remove contaminated clothing. Gently wash with plenty of soap and water. Wash contaminated clothing before reuse.
After eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
After ingestion	: Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

General	: Not expected to present a significant health hazard under normal conditions of use.
After inhalation	: Not expected to present a significant inhalation hazard.
After skin contact	: May cause irritation due to prolonged/repeated periods of use.
After eye contact	: May cause eye irritation.
After ingestion	:: May cause gastrointestinal irritation.

4.3 Indication of any immediate medical attention and special treatment needed

If you feel unwell, get medical advice and attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. Use of heavy stream of water may spread fire. |

5.2. Special hazards arising from the substance or mixture

- | | |
|------------------|---|
| Fire hazard | : Not considered flammable but may burn at high temperatures. |
| Explosion hazard | : Product is not explosive. |
| Reactivity | : Hazardous reactions will not occur. |

5.3. Advice for firefighters

- | | |
|--------------------------------|---|
| Precautionary measures fire | : Exercise caution when fighting any chemical fire. |
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|---|
| General measures | : Avoid all contact with eyes, skin, or clothing. |
|------------------|---|

6.1.1. For non-emergency personnel

- | | |
|----------------------|--|
| Protective equipment | : Use appropriate personal protection equipment (PPE). |
| Emergency procedures | : Evacuate unnecessary personnel. |

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Absorb and/or contain spill with inert material, then place in suitable container. |
| Methods for cleaning up | : Clear up spills immediately and dispose of waste safely. |

6.4. Reference to other sections

See Section 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Precautions for safe handling	: Avoid all contact with eyes, skin, or clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Comply with applicable regulations.
Storage conditions	: Store in a dry, cool and well-ventilated place.
Incompatible products	: Strong acids. Strong bases. Strong oxidizers.

7.3. Specific end use(s)

A Pipe Joint Lubricant. For professional use only.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Fatty acids, vegetable-oil, potassium salts (CAS 61788-65-6)		
	Limit value - Eight hours	Limit value - Short term
	None established	None established
Mica (CAS 12001-26-2)		
	Limit value - Eight hours	Limit value - Short term
Austria	10 mg/m ³ (inhalable aerosol)	
Belgium	3 mg/m ³	
Denmark	0.3 fibers per cm ³	0.3 fibers per cm ³
Ireland	10 mg/m ³ (inhalable fraction) 0.8 mg/m ³ (respirable fraction)	
Latvia	4 mg/m ³ (and phlogopite muscovite)	
Switzerland	3 mg/m ³ (respirable aerosol)	
United Kingdom	10 mg/m ³ (inhalable aerosol) 0.8 mg/m ³ (respirable aerosol)	
1,2-Propylene glycol (CAS 57-55-6)		
	Limit value - Eight hours	Limit value - Short term
Latvia	7 mg/m ³ (particulate)	
Ireland	470 mg/m ³ (total vapor & particulate) 10 mg/m ³ (particulate)	
United Kingdom	474 mg/m ³ (total vapor & particulate) 10 mg/m ³ (particulate)	

Source: GESTIS International Limit Values: <http://limitvalue.ifa.dguv.de/>

SECTION 8: Exposure controls/personal protection continued**8.2. Exposure controls**

Appropriate engineering controls : Not expected to exceed permissible exposure level under intended use. Emergency eye wash fountains and safety showers should be available in the immediate vicinity. Ensure all national/local regulations are observed.

Personal protective equipment : Safety glasses.



Materials for protective clothing : No special clothing required.

Hand protection : No special clothing required.

Eye protection : Wear safety glasses.

Skin and body protection : No special clothing required.

Respiratory protection : Under normal use it is not expected that exposure limits will be exceeded.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	: Liquid
Appearance	: Amber viscous paste
Odor	: Mild
Odor threshold	: No data available
pH	: 11
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: < 0°C (32°F)
Freezing point	: No data available
Boiling point	: > 104°C (220°F)
Flash Point	: > 104°C (220°F)
Auto-ignition temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 1.08 (water = 1)
Density	: 1.07 kg/L(9.01 lbs/gal) at room temperature
Solubility	: Soluble in water
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

SECTION 9: Physical and chemical properties continued**9.1. Information on basic physical and chemical properties**

Oxidizing properties : No data available

Explosive limits : Not applicable

9.2. Other information

VOC content : 146 g/L

SECTION 10: Stability and reactivity**10.1. Reactivity**

Hazardous reactions will not occur.

10.2. Chemical stability

Stable at standard temperature and pressure.

10.3. Possibility of hazardous reactions

Hazardous reactions will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition productsCarbon oxides (CO, CO₂). Silicon oxides.**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

Acute toxicity : No data is available on the mixture. Acute toxicity data via the oral route is available for 1,2-propylene glycol. Not acutely toxic.

1,2-Propylene glycol (57-55-6)	
LD50 oral rat	22000 mg/kg
LD50 dermal rabbit	>2000 mg/kg

Skin corrosion/irritation : Not classified (pH: 11).

Serious eye damage/irritation : The mixture is classified as eye irritant substance Xi R36 according to Directive 67/548/EC and H319 according to Regulation (EC) 1272/2008.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Not expected to present a significant hazard under normal conditions of use.

SECTION 12: Ecological information**12.1. Toxicity**

No data are available on the mixture. Aquatic toxicity data are available for 1,2-propylene glycol. The substance is not classified for aquatic toxicity.

1,2-Propylene glycol (57-55-6)	
LC50 fishes 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	10000 mg/l (Exposure time: 96 h - Species: Daphnia magna)
EC50 Aquatic algae	19000 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)
LC50 fish 2	41000 (41000 - 47000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 2	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and degradability

Victaulic Lubricant	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

No data is available on this mixture. A BCF value has been estimated by calculation based on the phys-chem properties of the substance 1,2-propylene glycol.

Victaulic Lubricant	
Bioaccumulative potential	Not established.
1,2-Propylene glycol (CAS 57-55-6)	
BCF calculated value	< 1

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national, and international regulations.

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

No dangerous good in sense of transport regulations.

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Other information : No supplementary information available.

SECTION 14: Transport information continued

14.6. Special precautions for user

14.6.1 Overland transport

No additional information available

14.6.2 Transport by sea

No additional information available

14.6.3. Air transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Contains no REACH candidate substance

VOC content : 146 g/L

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

16.1. Indication of changes

updated 6/3/2014

16.2. Abbreviations and acronyms

ADNR	: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	: European Agreement Concerning the International Carriage of Dangerous Goods by Road
AGS	: Ausschuss für Gefahrstoffe
CLP	: Classification, Labelling and Packaging regulation
DFG	: Deutsche Forschungsgemeinschaft
DPD	: Dangerous Preparation Directive
EC50	: effective concentration which causes 50% of the maximum response
IATA	: International Air Transport Association
ICAO	: International Civil Aviation Organization
IMDG	: International Maritime Dangerous Goods Code
LC50	: lethal concentration which causes death of 50% of a group of test animals
PBT	: persistent, bioaccumulative, toxic
PPM	: parts per million
RID	: European Agreement Concerning the International Carriage of Dangerous Goods by Rail

SECTION 16: Other information continued**16.2. Abbreviations and acronyms**

vPvB : very persistent, very bioaccumulative

VOC : volatile organic compound

16.3. Data Sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

GESTIS International Limit Values: <http://limitvalue.ifa.dguv.de/>

Classification and procedure used to derive the classification for the mixture according to Regulation (EC) No 1272/2008 :

Classification according to Regulation (EC) 1272/2008	Classification procedure
Eye irrit. 2, H319	Calculation method (Fatty acids, vegetable-oil, potassium salts)

16.4. Relevant R-phrases and/or H-statements (number and full text)

Full text of H-statements referred to under section 3.2

H319: Causes serious eye irritation

Full text R-phrases referred to under section 3.2

R36: Irritating to eyes

16.5. Training advice

Always refer to the installation instructions, supplied with the product, and Victaulic publication 05.02-EU (Victaulic Lubricant Safety Data Sheet) for complete lubrication information and requirements. These documents can be downloaded at victaulic.com

SDS EU (REACH ANNEX II)

Disclaimer: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Installation

Reference should always be made to the [I-100 Victaulic Field Installation Handbook](#) for the product you are installing. Handbooks are included with each shipment of Victaulic products for complete installation and assembly data, and are available in PDF format on our website at www.victaulic.com.

Warranty

Refer to the Warranty section of the current Price List or contact Victaulic for details.

Note

This product shall be manufactured by Victaulic or to Victaulic specifications. All products to be installed in accordance with current Victaulic installation/assembly instructions. Victaulic reserves the right to change product specifications, designs and standard equipment without notice and without incurring obligations.

Trademarks

Victaulic and Zero-Flex are registered trademarks of Victaulic Company.