



SAFETY DATA SHEET

Page 1 of 3

Capillary Plumbing Wire Containing Lead

Revision 0
Revision date

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name Capillary Plumbing Wire Containing Lead

Company Geo. W. Neale Limited
Regency Street
off Victoria Road
Willesden Junction
London
NW10 6NG
United Kingdom
sales@gwneale.co.uk
www.gwneale.co.uk

Telephone +44 (0) 20 8965 1336

Fax +44 (0) 20 8965 1725

Emergency telephone number +44 (0) 20 8965 1336

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Lead	70 - 80%	7439-92-1	231-100-4	T; R23/25
Antimony	1 - 10%	7440-36-0	231-146-5	Xi; R36/37/38

3. HAZARDS IDENTIFICATION

Main hazards Toxic by inhalation and if swallowed.

4. FIRST AID MEASURES

Skin contact Toxic in contact with skin. Wash off immediately with plenty of soap and water.

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Inhalation Toxic by inhalation. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.

Ingestion Toxic if swallowed. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. If swallowed, seek medical advice immediately and show this container or label. DO NOT INDUCE VOMITING.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear: Self-contained breathing apparatus.

Capillary Plumbing Wire Containing Lead

Revision
Revision date

0

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.
Environmental precautions	Do not let product contaminate subsoil.
Clean up methods	Sweep up. Transfer to suitable, labelled containers for disposal.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.
Storage	Keep in a cool, dry, well ventilated area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Lead	WEL 8-hr limit ppm: WEL 15 min limit ppm:	WEL 8-hr limit mg/m3: 0.15 WEL 15 min limit mg/m3:
Antimony	WEL 8-hr limit ppm: WEL 15 min limit ppm:	WEL 8-hr limit mg/m3: 0.5 WEL 15 min limit mg/m3:

Engineering measures	Ensure adequate ventilation of the working area.
Respiratory protection	Wear suitable respiratory equipment when necessary.
Hand protection	Wear suitable gloves.
Eye protection	Approved safety goggles.
Protective equipment	Wear protective clothing. Wash all contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Solid.
Colour	Grey.
Odour	Odourless.
Water solubility	insoluble in water.
Melting point	185-255°C

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
------------------	---------------------------------

11. TOXICOLOGICAL INFORMATION

Toxicological information	Toxic by inhalation and if swallowed.
----------------------------------	---------------------------------------

12. ECOLOGICAL INFORMATION

Ecotoxicity	No data is available on this product.
--------------------	---------------------------------------

13. DISPOSAL CONSIDERATIONS

General information	Dispose of in compliance with all local and national regulations.
Disposal methods	Contact a licensed waste disposal company. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
Disposal of packaging	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.

14. TRANSPORT INFORMATION

Further information	The product is not classified as dangerous for carriage.
----------------------------	--

Capillary Plumbing Wire Containing Lead

Revision
Revision date

0

15. REGULATORY INFORMATION

Symbols

T - Toxic

**Risk phrases**

R23/25 - Toxic by inhalation and if swallowed.

Safety phrases

S36/37 - Wear suitable protective clothing and gloves.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S63 - In case of accident by inhalation: remove casualty to fresh air and keep at rest.

16. OTHER INFORMATION

Text of risk phrases in Section 2

R23/25 - Toxic by inhalation and if swallowed.

R36/37/38 - Irritating to eyes, respiratory system and skin.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.